



## MINISTRY OF ENVIRONMENT AND NDU

ENVIRONMENTAL GUIDELINE No. 10

### FOOD PROCESSING

for small and medium enterprises

#### 1.0 Purpose of guideline

This environmental guideline for food processing for small and medium enterprises has been prepared by the Ministry of Environment & NDU to ensure that all environmental issues are duly taken into consideration by stakeholders.

#### 2.0 Nature of development

The small and medium food processing enterprises includes preparation of sweets, salty snacks, ice cream, fish balls and noodles.

#### 3.0 Potential impacts

The major environmental issues associated with a food processing industry are noise, odour, generation of wastewater and air pollution. The different aspects, impacts and nuisances related to such activities are listed below:-

Activity	Aspects	Impacts/ Nuisances
<b>Construction phase</b>		
Site preparation / construction of buildings ( where applicable)	- Generation of excavated soil , debris and construction wastes  - Use of heavy machinery	-Dumping into barelands, water bodies and drains  -Dust, noise and mud -Visual impacts
<b>Operation phase</b>		
Use of Equipment and machinery	- Fuel consumption	Noise and air pollution
Manufacturing activities (cutting, cooking, cleaning)	-Generation of solid wastes and liquid wastes  -Generation of used cooking oil	-Pollution of watercourses Pests, rodents and flies, odour  -Contamination of water courses due to clogging of wastewater disposal systems.
Washing of floors , equipment and utensils	- Generation of wastewater	- Risks of contamination of

Ministry of Environment and NDU  
Environmental Guideline No. 10

		water bodies
Packaging of raw materials and products	- Generation of plastic and carton boxes	- Visual impacts  - Pests and rodents
Use of refrigerants	- Dispersion of refrigerants into the atmosphere	- Ozone depletion

#### 4.0 Siting of activity

Case to case basis.

#### 5.0 Environmental conditions

The major environmental issues are **noise, odour, generation of wastewater** and air pollution and the following conditions shall be observed:

- I. Physical and mechanical /electrical abatement measures shall be installed for to reduce odour and noise.
- II. Flue and odorous gases shall be channeled through ducts connected to a chimney stack which shall be designed as per good engineering practices.
- III. All gaseous emissions from the factory shall be within permissible limits as per the Environment Protection (Standards for Air) Regulations 1998. The stack emissions standards applicable to this undertaking are:

<b>Pollutant</b>	<b>Standard</b>
(i) Smoke	Ringelmann No. 2 or equivalent opacity (not to exceed more that 5 minutes in any period of one hour)
(ii) Solid particles	200 mg/ m <sup>3</sup>
(iii) Sulphuric acid mist or sulphur trioxide	120 mg/ m <sup>3</sup> as sulphur trioxide
(iv) Hydrogen sulphide	5 ppm as hydrogen sulphide gas
(v) Nitric acid or oxides of nitrogen	1 000 mg/ m <sup>3</sup> as nitrogen dioxide
(vi) Carbon monoxide	1 000 mg/ m <sup>3</sup> as carbon monoxide

- IV. All electric motors such as stand-by generator and air- conditioning devices shall be housed in soundproof enclosures to keep noise level within permissible limits as per the Environment Protection (Environmental Standards for Noise) Regulations 1997. The noise exposure limits as per the above regulation are as follows:

Ministry of Environment and NDU  
Environmental Guideline No. 10

Industrial noise		Neighbourhood noise	
7:00 – 21:00	60*dB(A) Leq	7:00 – 18:00	60 dB(A) Leq
21:00 – 7:00	55*dB(A) Leq	18:00 - 21:00	55 dB(A) Leq
		21:00 – 7:00	50 dB(A) Leq

\* A tonal character adjustment of +5 dB(A) should be applied to the measured value where the noise has a definite continuous note such as a whine or hiss.

- V. The refrigerant used and the insulating materials shall be free from ozone depleting substances (ODS) and shall be environment friendly with low global warming potential and as approved by the National Ozone Unit of the Ministry of Environment & NDU.
- VI. All solid wastes generated from the food processing industry shall be collected and disposed of. Putrefiable wastes shall be stored below room temperature prior to disposal.
- VII. Wastewaters shall be collected, treated and disposed of
- VIII. No nuisance by way of noise dust, air pollution shall be caused to the public and surrounding environment during site preparation, infrastructural works and during operation of the activity.
- IX. The Department of Environment of the Ministry of Environment and NDU shall be informed in writing of the dates of commencement of works on site and operation of the activity for monitoring purposes.

## 6.0 Enforcement

Under Section 13 of the Environment Protection Act 2002, the enforcing agencies for the different environmental medium or pollutants are as follows:

S. No	Environmental media/ pollutant	Enforcing Agency
1	Noise, odour	Ministry of Health and Quality of Life
2	Effluents	Ministry of Public Utilities
3	Solid wastes	Ministry of Local Government
4	Air pollution	Ministry of Environment

Ministry of Environment and NDU  
Environmental Guideline No. 10

The above-mentioned enforcing agencies shall monitor compliance to the conditions falling under their purview.

## **7.0 Offences**

Any person who fails to comply with any regulations/standards referred to in this guideline shall commit an offence and shall:

- (i) on a first conviction, be liable to a fine not exceeding 50, 000 rupees and to imprisonment for a term not exceeding two years.
- (ii) on a second or subsequent conviction, be liable to a fine not exceeding 100,000 rupees and to imprisonment for a term not exceeding 8 years.

**For further information, please contact**

Information Counter,  
Department of Environment,  
Ground Floor Ken Lee Tower,  
1, St Georges Street  
Port-Louis

Tel: 203 6200-2036210

**Website: <http://environment.gov.mu>**

**Email : [menv@mail.gov.mu](mailto:menv@mail.gov.mu)**