

Health State Description (overall health)**Table 6.1A: Level of satisfaction with one's health**

	N	Very Satisfied	Satisfied	Neither satisfied nor dissatisfied	Dissatisfied	Very dissatisfied	
Sex	Male	1927	26.1	54.3	12.2	4.8	2.4
	Female	1961	13.8	52.8	19.2	9.9	3.8
Residence	Urban	1702	22.3	51.2	16.2	6.9	2.9
	Rural	2185	18.0	55.3	15.4	7.8	3.2
Age group (in years)	18-29	1047	29.3	56.3	11.1	2.4	0.6
	30-44	1366	19.6	60.0	12.3	5.7	1.9
	45-59	976	15.6	48.3	20.3	11.2	4.2
	60-69	291	12.6	46.0	19.3	14.0	7.4
	70-79	142	5.7	35.1	33.0	15.3	9.4
	80+	66	2.8	25.0	38.1	18.0	16.0
Income quintile	Q1	597	15.9	47.6	18.8	11.4	5.7
	Q2	729	16.6	52.2	16.7	10.4	3.6
	Q3	817	19.9	53.0	15.0	8.5	3.1
	Q4	857	20.5	56.6	15.6	4.8	2.1
	Q5	835	24.8	57.2	12.9	3.4	1.3
All	3888	20.0	53.8	15.8	7.4	3.1	

Health State Description (overall health)**Table 6.2A: Difficulty with 'work and household activities' in last 30 days**

		N	None	Mild	Moderate	Severe	Extreme
Sex	Male	1927	68.1	19.0	6.2	4.8	1.6
	Female	1961	54.5	27.3	6.9	8.9	1.9
Residence	Urban	1702	64.7	20.8	6.2	5.8	1.8
	Rural	2185	58.4	25.1	6.8	7.7	1.7
Age group (in years)	18-29	1047	77.2	16.4	4.0	2.2	0.2
	30-44	1366	65.9	22.6	5.6	5.0	0.8
	45-59	976	50.7	28.4	7.4	10.4	2.3
	60-69	291	41.7	31.4	11.0	12.6	2.8
	70-79	142	30.9	27.5	14.3	16.1	10.2
	80+	66	17.5	21.2	17.0	24.6	16.4
Income quintile	Q1	597	49.8	26.3	9.0	11.4	3.3
	Q2	729	56.1	26.8	5.2	8.7	2.8
	Q3	817	61.8	23.3	6.0	7.7	1.1
	Q4	857	64.5	22.2	6.7	4.4	1.7
	Q5	835	70.7	19.1	6.1	3.5	0.3
	All	3888	61.5	23.3	6.6	6.9	1.8

Health State Description (mobility)**Table 6.3A: Difficult with ‘moving around’ in last 30 days**

	N	None	Mild	Moderate	Severe	Extreme	
Sex	Male	1927	81.9	9.9	3.6	3.4	1.0
	Female	1961	72.4	16.5	3.9	5.7	1.4
Residence	Urban	1686	79.3	11.3	3.6	4.6	1.1
	Rural	2201	75.4	14.7	3.8	4.6	1.3
Age group (in years)	18-29	1047	90.2	6.8	1.4	1.1	0.2
	30-44	1366	83.1	10.3	2.2	4.0	0.4
	45-59	976	70.2	17.2	5.7	5.4	1.3
	60-69	291	57.7	25.2	6.5	9.2	1.5
	70-79	142	41.3	28.7	11.1	13.6	5.4
	80+	66	12.2	28.7	16.5	20.3	22.3
Income quintile	Q1	597	66.3	18.5	4.7	7.8	2.4
	Q2	729	73.3	15.3	3.7	6.2	1.5
	Q3	817	75.8	14.1	4.0	4.8	1.2
	Q4	857	81.5	10.4	3.7	3.4	0.8
	Q5	835	85.9	9.3	2.8	1.6	0.4
All	3888	77.2	13.2	3.8	4.6	1.2	

Health State Description (mobility)**Table 6.4A: Difficulty with ‘vigorous activities’ in last 30 days**

		N	None	Mild	Moderate	Severe	Extreme
Sex	Male	1927	68.7	13.8	3.4	9.3	4.7
	Female	1961	57.5	17.6	6.2	13.6	5.0
Residence	Urban	1686	62.2	14.9	5.7	12.7	4.5
	Rural	2201	63.8	16.4	4.1	10.5	5.1
Age group (in years)	18-29	1047	81.9	11.3	2.1	3.5	1.0
	30-44	1366	71.4	15.4	4.1	7.0	2.1
	45-59	976	51.2	19.7	7.0	16.0	5.9
	60-69	291	29.4	22.3	9.1	29.3	9.9
	70-79	142	21.4	14.9	7.9	30.4	25.5
	80+	66	7.1	8.4	4.1	41.3	39.1
Income quintile	Q1	597	52.5	17.7	4.7	15.4	9.3
	Q2	729	59.3	18.0	4.1	12.6	5.9
	Q3	817	62.2	16.1	5.4	12.5	3.7
	Q4	857	67.7	13.2	4.3	10.9	3.7
	Q5	835	71.0	14.6	4.9	7.1	2.4
	All	3888	63.2	15.8	4.8	11.5	4.8

Health State Description (self-care)**Table 6.5A: Difficulty with 'self-care' in last 30 days**

	N	None	Mild	Moderate	Severe	Extreme	
Sex	Male	1927	92.2	3.8	1.6	1.3	1.0
	Female	1961	86.0	9.3	1.5	2.3	0.8
Residence	Urban	1686	91.3	5.3	0.8	1.8	0.8
	Rural	2201	87.4	7.6	2.1	1.8	1.0
Age group (in years)	18-29	1047	97.2	1.6	0.4	0.4	0.2
	30-44	1366	92.8	4.8	0.7	1.3	0.3
	45-59	976	85.7	9.4	1.5	2.0	1.3
	60-69	291	77.9	14.4	4.0	3.4	0.3
	70-79	142	68.3	14.8	4.6	7.5	4.8
	80+	66	27.4	28.3	19.8	10.9	13.6
Income quintile	Q1	597	80.1	11.3	2.9	3.8	1.5
	Q2	729	86.1	8.3	1.0	2.6	2.0
	Q3	817	88.5	7.7	1.7	1.7	0.3
	Q4	857	92.3	4.4	1.6	0.9	0.6
	Q5	835	95.8	3.1	0.8	0.3	0.1
All	3888	89.2	6.6	1.5	1.8	0.9	

Health State Description (self-care)**Table 6.6A: Difficulty with ‘taking care of and maintaining general appearance’ in last 30 days**

	N	None	Mild	Moderate	Severe	Extreme	
Sex	Male	1927	92.9	3.6	1.4	1.2	0.8
	Female	1961	87.5	8.3	1.2	2.0	0.9
Residence	Urban	1686	91.8	4.8	0.9	1.8	0.6
	Rural	2201	88.9	6.9	1.6	1.5	1.0
Age group (in years)	18-29	1047	97.8	1.0	0.5	0.2	0.2
	30-44	1366	93.8	4.2	0.6	1.2	0.2
	45-59	976	87.3	8.5	1.1	2.0	1.0
	60-69	291	79.6	14.0	3.2	3.0	0.3
	70-79	142	67.7	15.5	4.2	8.3	4.2
	80+	66	31.7	29.0	15.8	7.1	16.4
Income quintile	Q1	597	82.8	9.5	2.6	3.5	1.2
	Q2	729	87.3	6.7	1.9	2.4	1.6
	Q3	817	89.7	7.6	1.0	1.1	0.5
	Q4	857	93.3	3.8	0.8	1.3	0.5
	Q5	835	95.6	3.4	0.6	0.3	0.1
All	3888	90.3	6.0	1.3	1.6	0.8	

Health State Description (pain and discomfort)**Table 6.7A: Amount of 'bodily aches or pains' in last 30 days**

	N	None	Mild	Moderate	Severe	Extreme	
Sex	Male	1927	50.7	32.8	5.8	9.0	1.6
	Female	1961	37.9	34.5	5.1	18.9	3.5
Residence	Urban	1686	44.6	33.3	6.1	13.7	2.2
	Rural	2201	43.9	33.9	5.0	14.3	2.8
Age group (in years)	18-29	1047	58.2	31.5	3.8	5.8	0.4
	30-44	1366	49.6	32.9	4.6	11.2	1.7
	45-59	976	32.5	37.1	5.9	20.9	3.4
	60-69	291	29.6	34.3	10.6	22.4	3.2
	70-79	142	17.0	34.8	7.4	32.4	8.4
	80+	66	6.3	25.4	18.7	23.8	25.8
Income quintile	Q1	597	34.3	33.0	6.7	21.6	4.1
	Q2	729	39.4	35.6	3.7	16.9	4.3
	Q3	817	42.4	35.6	6.4	13.2	2.3
	Q4	857	46.5	32.3	6.1	13.1	1.7
	Q5	835	55.4	31.8	4.8	7.3	0.7
All	3888	44.3	33.7	5.5	14.0	2.5	

Health State Description (pain and discomfort)**Table 6.8A: Amount of 'bodily discomfort' in last 30 days**

		N	None	Mild	Moderate	Severe	Extreme
Sex	Male	1927	53.1	32.2	6.4	6.9	1.3
	Female	1961	40.2	36.2	6.8	13.7	2.9
Residence	Urban	1686	49.6	32.5	6.2	9.6	2.1
	Rural	2201	44.3	35.5	6.9	10.9	2.2
Age group (in years)	18-29	1047	58.4	31.6	5.1	4.4	0.2
	30-44	1366	51.1	34.8	5.1	7.6	1.4
	45-59	976	38.7	35.0	7.4	15.8	2.9
	60-69	291	31.9	35.7	13.1	17.1	2.2
	70-79	142	18.4	35.4	12.7	26.0	7.4
	80+	66	8.7	41.0	8.8	15.2	26.3
Income quintile	Q1	597	37.9	32.2	8.2	17.5	3.8
	Q2	729	41.2	36.6	4.2	14.5	3.5
	Q3	817	45.7	35.0	8.3	9.4	1.6
	Q4	857	50.0	33.3	6.9	7.8	1.8
	Q5	835	55.3	34.3	5.3	4.9	0.3
	All	3888	46.7	34.2	6.6	10.3	2.1

Health State Description (cognition)**Table 6.9A: Difficulty with ‘concentrating or remembering things’ in last 30 days**

	N	None	Mild	Moderate	Severe	Extreme	
Sex	Male	1927	71.6	18.1	4.7	4.7	0.7
	Female	1961	59.6	24.4	5.9	8.9	1.1
Residence	Urban	1686	65.5	22.6	4.4	7.0	0.5
	Rural	2201	65.6	20.3	6.0	6.7	1.2
Age group (in years)	18-29	1047	76.8	17.3	2.8	2.4	0.4
	30-44	1366	72.8	17.6	4.5	4.9	0.2
	45-59	976	58.2	25.4	6.3	8.8	1.1
	60-69	291	43.6	34.8	7.7	12.5	1.4
	70-79	142	34.5	25.8	13.6	19.7	6.3
	80+	66	11.2	31.9	16.5	33.5	6.9
Income quintile	Q1	597	56.9	22.7	6.9	11.6	1.5
	Q2	729	61.8	22.9	4.9	8.7	1.8
	Q3	817	66.0	22.2	4.7	6.5	0.6
	Q4	857	68.7	19.7	6.0	4.8	0.5
	Q5	835	71.8	20.3	4.1	3.5	0.3
All	3888	65.7	21.3	5.3	6.8	0.9	

Health State Description (cognition)**Table 6.10A: Amount with ‘learning a new task’ in last 30 days**

	N	None	Mild	Moderate	Severe	Extreme	
Sex	Male	1927	76.8	14.3	3.4	4.0	1.4
	Female	1961	66.8	19.4	4.3	8.0	1.3
Residence	Urban	1686	71.5	17.9	3.0	6.2	1.2
	Rural	2201	72.0	16.0	4.4	5.9	1.5
Age group (in years)	18-29	1047	83.4	13.2	1.5	1.2	0.4
	30-44	1366	80.5	13.9	2.7	2.6	0.3
	45-59	976	64.9	20.2	4.9	8.2	1.6
	60-69	291	47.2	26.4	8.8	15.9	1.6
	70-79	142	27.5	28.6	11.8	22.8	9.4
	80+	66	12.9	17.9	10.7	40.9	17.6
Income quintile	Q1	597	61.6	18.2	6.6	10.7	2.5
	Q2	729	66.9	19.9	4.3	6.8	2.1
	Q3	817	71.1	18.3	4.4	5.1	0.9
	Q4	857	76.0	15.9	2.9	3.8	1.2
	Q5	835	80.4	12.7	1.9	4.6	0.4
All	3888	71.9	16.9	3.8	6.0	1.4	

Health State Description (interpersonal activities)**Table 6.11A: Difficulty with ‘personal relationships or participation in the community in last 30 days**

		N	None	Mild	Moderate	Severe	Extreme
Sex	Male	1927	89.4	7.1	1.9	0.9	0.5
	Female	1961	90.5	6.2	1.1	1.7	0.4
Residence	Urban	1686	91.2	5.7	0.9	1.5	0.6
	Rural	2201	89.0	7.3	2.0	1.2	0.3
Age group (in years)	18-29	1047	89.6	7.4	1.6	0.9	0.2
	30-44	1366	91.5	6.4	0.7	1.0	0.3
	45-59	976	90.7	5.9	1.4	1.3	0.5
	60-69	291	86.4	8.4	3.2	1.1	0.9
	70-79	142	85.9	6.8	1.4	4.9	1.1
	80+	66	76.0	3.0	11.6	7.7	1.7
	Income quintile	Q1	597	87.4	8.0	1.6	2.4
	Q2	729	89.7	6.6	1.9	1.1	0.7
	Q3	817	90.3	5.1	2.0	2.0	0.5
	Q4	857	90.6	6.5	1.7	0.5	0.6
	Q5	835	91.1	7.4	0.7	0.6	0.2
	All	3888	90.1	6.6	1.5	1.3	0.4

Health State Description (interpersonal activities)**Table 6.12A: Difficult with ‘dealing with conflicts and tensions’ in last 30 days**

		N	None	Mild	Moderate	Severe	Extreme
Sex	Male	1927	90.8	5.9	1.5	1.2	0.4
	Female	1961	90.8	5.5	1.5	1.5	0.6
Residence	Urban	1686	91.8	5.0	1.0	1.5	0.6
	Rural	2201	90.1	6.2	1.9	1.2	0.5
Age group (in years)	18-29	1047	90.9	6.5	1.1	1.0	0.3
	30-44	1366	92.2	5.2	0.9	1.2	0.4
	45-59	976	91.3	4.5	2.2	1.3	0.6
	60-69	291	88.1	8.3	1.6	1.2	0.8
	70-79	142	85.5	7.4	1.3	4.7	1.1
	80+	66	76.7	5.4	10.3	4.6	3.0
Income quintile	Q1	597	87.7	7.2	2.2	2.4	0.2
	Q2	729	90.7	5.8	1.6	1.0	0.9
	Q3	817	91.5	4.6	1.8	1.2	0.8
	Q4	857	91.6	4.9	1.3	1.5	0.6
	Q5	835	92.1	6.3	0.8	0.7	0.1
	All	3888	90.9	5.7	1.5	1.4	0.5

Health State Description (vision)**Table 6.13A: Difficulty with ‘seeing and recognising a person you know across the road (20m)’ in last 30 days**

	N	None	Mild	Moderate	Severe	Extreme	
Sex	Male	1927	80.9	10.4	3.1	4.7	0.8
	Female	1961	70.5	19.1	3.6	5.9	0.8
Residence	Urban	1686	79.3	12.9	1.9	5.2	0.5
	Rural	2201	72.8	16.2	4.5	5.3	1.0
Age group (in years)	18-29	1047	90.7	6.9	0.5	1.3	0.2
	30-44	1366	84.7	10.2	2.5	2.3	0.2
	45-59	976	64.9	21.8	5.1	6.9	1.1
	60-69	291	49.0	28.0	9.2	12.7	1.1
	70-79	142	31.8	32.5	6.3	26.2	3.2
	80+	66	19.2	34.4	8.5	26.6	11.4
Income quintile	Q1	597	66.1	20.0	3.6	8.3	1.7
	Q2	729	72.3	17.4	3.0	6.3	1.1
	Q3	817	74.9	15.9	3.7	5.2	0.2
	Q4	857	79.0	11.4	4.3	4.5	0.7
	Q5	835	83.4	10.9	2.0	3.1	0.6
All	3888	75.7	14.8	3.4	5.3	0.8	

Health State Description (vision)**Table 6.14A: Difficult with ‘seeing an object at arm’s length or in reading’ in last 30 days**

	N	None	Mild	Moderate	Severe	Extreme	
Sex	Male	1927	83.0	11.0	2.3	3.0	0.6
	Female	1961	72.0	18.3	3.2	5.7	0.6
Residence	Urban	1686	80.4	13.1	1.9	4.0	0.5
	Rural	2201	75.2	16.0	3.4	4.7	0.6
Age group (in years)	18-29	1047	92.9	5.5	1.0	0.2	0.1
	30-44	1366	85.7	11.0	1.5	1.6	0.1
	45-59	976	61.8	24.4	4.2	8.2	1.1
	60-69	291	60.1	23.1	6.5	9.5	0.8
	70-79	142	45.7	28.1	6.3	17.8	2.0
	80+	66	38.0	26.8	9.8	19.0	6.3
Income quintile	Q1	597	69.0	18.6	3.6	7.0	1.5
	Q2	729	73.1	18.0	2.9	5.8	0.3
	Q3	817	77.8	15.2	3.3	3.1	0.5
	Q4	857	80.8	11.7	1.9	4.6	0.8
	Q5	835	84.3	11.7	1.8	2.2	0.1
All	3888	77.6	14.7	2.7	4.4	0.6	

Health State Description (sleep and energy)**Table 6.15A: Problem with 'sleeping' in last 30 days**

		N	None	Mild	Moderate	Severe	Extreme
Sex	Male	1927	67.0	20.7	3.4	7.4	1.3
	Female	1961	54.0	24.7	5.4	14.5	1.3
Residence	Urban	1686	62.9	20.7	4.4	10.6	1.3
	Rural	2201	58.5	24.4	4.4	11.2	1.3
Age group (in years)	18-29	1047	70.8	20.9	2.0	5.4	0.7
	30-44	1366	65.9	21.1	3.8	8.1	1.1
	45-59	976	53.8	23.8	5.4	15.5	1.3
	60-69	291	42.0	31.0	6.3	18.1	2.6
	70-79	142	35.9	28.8	11.3	21.9	2.1
	80+	66	14.4	22.6	17.4	37.7	7.9
Income quintile	Q1	597	50.7	24.9	6.7	14.7	2.6
	Q2	729	54.0	25.3	4.3	15.1	1.3
	Q3	817	62.1	23.9	3.8	8.9	1.3
	Q4	857	63.0	21.4	3.8	11.1	0.5
	Q5	835	69.4	19.2	3.8	6.7	0.9
	All	3888	60.5	22.8	4.4	11.0	1.3

Health State Description (sleep and energy)**Table 6.16A: Problem with 'feeling rested and refreshed' in last 30 days**

	N	None	Mild	Moderate	Severe	Extreme	
Sex	Male	1927	62.1	25.7	3.7	7.8	0.6
	Female	1961	53.1	27.3	5.5	12.5	1.5
Residence	Urban	1686	62.4	22.8	4.6	9.1	1.0
	Rural	2201	53.8	29.3	4.6	11.0	1.1
Age group (in years)	18-29	1047	64.9	25.8	2.5	5.9	0.7
	30-44	1366	61.6	25.3	4.5	8.0	0.4
	45-59	976	53.0	26.6	6.0	13.1	1.2
	60-69	291	46.8	29.6	6.8	14.8	2.12
	70-79	142	35.6	33.2	6.6	22.2	2.4
	80+	66	20.2	30.9	6.8	32.5	9.7
Income quintile	Q1	597	48.7	28.0	7.3	14.3	1.3
	Q2	729	51.3	30.3	4.9	12.0	1.6
	Q3	817	59.6	25.4	4.2	9.7	1.0
	Q4	857	58.8	26.3	3.5	10.3	0.8
	Q5	835	66.2	23.9	3.5	5.9	0.5
All	3888	57.6	26.5	4.6	10.2	1.0	

Health State Description (affect)**Table 6.17A: Problem with ‘feeling sad, low, or depressed’ in last 30 days**

	N	None	Mild	Moderate	Severe	Extreme	
Sex	Male	1927	69.5	20.4	4.0	5.2	0.8
	Female	1961	50.7	32.2	4.8	10.7	1.4
Residence	Urban	1686	63.8	23.0	3.3	8.3	1.5
	Rural	2201	57.1	29.0	5.3	7.7	0.8
Age group (in years)	18-29	1047	66.9	25.5	3.2	3.7	0.4
	30-44	1366	64.6	25.1	3.2	6.4	0.7
	45-59	976	54.6	28.3	4.9	10.3	1.8
	60-69	291	48.5	28.7	9.1	11.4	2.4
	70-79	142	40.6	25.8	10.1	22.2	1.3
	80+	66	29.2	29.7	9.5	26.7	4.8
Income quintile	Q1	597	48.2	29.2	7.8	12.7	1.8
	Q2	729	56.0	26.4	5.1	11.2	1.3
	Q3	817	60.3	28.5	3.3	6.8	1.0
	Q4	857	63.1	26.4	3.3	6.2	0.7
	Q5	835	69.2	22.3	3.3	4.4	0.8
All	3888	60.1	26.4	4.4	8.0	1.1	

Health State Description (affect)**Table 6.18A: Problem with 'worry or anxiety' in last 30 days**

	N	None	Mild	Moderate	Severe	Extreme	
Sex	Male	1927	65.9	22.3	4.3	6.4	1.0
	Female	1961	51.3	30.4	4.1	12.3	1.7
Residence	Urban	1686	62.3	24.0	3.5	8.5	1.6
	Rural	2201	55.6	28.2	4.8	10.0	1.2
Age group (in years)	18-29	1047	67.0	23.7	2.8	5.5	0.7
	30-44	1366	62.0	26.0	3.1	7.4	1.4
	45-59	976	52.3	28.0	4.4	12.7	1.7
	60-69	291	48.0	27.7	9.1	13.6	1.6
	70-79	142	40.0	28.6	10.2	18.7	2.4
	80+	66	30.9	30.7	11.9	22.7	3.8
Income quintile	Q1	597	47.0	28.5	6.7	15.2	2.2
	Q2	729	55.3	25.9	4.8	12.8	1.3
	Q3	817	57.8	28.4	4.5	8.0	1.2
	Q4	857	61.6	26.1	3.0	7.7	1.4
	Q5	835	67.3	24.0	2.9	5.1	0.8
All	3888	58.6	26.4	4.2	9.4	1.4	

	Ambulatory Adult		Ambulatory Child		Inpatient Adult		Inpatient Child		Informal Care		Unmet Care		Non use		
	%	SE	%	SE	%	SE	%	SE	%	SE	%	SE	%	SE	
Sex															
Female	50.3	2.0	13.3	1.1	8.6	0.9	1.7	0.3	0.5	0.2	0.1	0.1	25.6	1.8	
Male	46.1	2.0	15.1	1.3	5.5	0.7	1.8	0.4	0.4	0.2	0.4	0.2	30.6	1.6	
Area of Residence															
Urban	51.1	2.4	10.7	0.9	7.4	0.7	1.7	0.4	0.6	0.2	0.5	0.2	28.1	2.1	
Rural	46.0	1.9	16.9	1.3	6.9	0.7	1.7	0.3	0.4	0.2	0.1	0.0	28.1	1.7	
Age Group															
18-29y	43.7	2.5	11.8	1.3	8.6	1.1	0.9	0.3	0.5	0.3	0.2	0.2	34.2	2.3	
30-44y	40.0	1.8	26.4	1.5	5.8	0.6	3.7	0.6	0.3	0.1	0.3	0.2	23.5	1.5	
45-49y	55.6	2.2	6.4	1.1	6.4	1.0	0.6	0.2	0.1	0.1	0.3	0.2	30.7	2.2	
60-69y	65.1	3.0	1.7	0.8	8.5	1.9	0.0	0.0	1.1	0.7	0.1	0.1	23.5	2.9	
70-79y	65.8	4.6	0.0	0.0	10.3	3.0	0.0	0.0	0.0	0.0	0.0	0.0	23.9	4.4	
80+y	70.4	6.4	0.0	0.0	5.7	2.6	0.0	0.0	6.7	3.4	0.0	0.0	17.2	4.7	
Education Years															
0	67.7	3.3	3.8	1.3	7.8	2.0	0.0	0.0	0.9	0.6	0.0	0.0	19.7	2.6	
1-5	56.0	2.9	7.4	1.6	6.3	1.3	1.0	0.5	0.6	0.4	0.0	0.0	28.7	2.6	
6-11	46.7	1.6	16.1	1.0	6.5	0.6	1.8	0.3	0.3	0.1	0.4	0.2	28.3	1.6	
12+	42.9	2.4	15.4	1.4	8.4	1.2	2.3	0.6	0.7	0.3	0.2	0.1	30.1	1.8	
Income Quintiles															
Q1	52.1	2.4	15.1	1.7	6.6	0.9	2.1	0.6	0.3	0.2	0.1	0.1	23.6	2.0	
Q2	51.5	2.5	15.4	1.8	5.8	1.1	1.5	0.5	0.3	0.2	0.2	0.2	25.4	1.9	
Q3	47.0	2.3	14.4	1.5	7.8	1.0	1.7	0.5	0.3	0.2	0.4	0.3	28.4	2.4	
Q4	46.8	2.4	14.2	1.3	7.4	1.0	1.5	0.4	0.6	0.3	0.1	0.1	29.4	2.1	
Q5	45.7	2.6	12.8	1.4	7.3	1.1	1.8	0.6	0.8	0.3	0.2	0.2	31.3	2.1	
Ownership															
Government	59.0	1.7	17.7	1.2	8.3	0.7	1.9	0.3	0.3	0.1	0.3	0.1	12.5	1.2	
Private	57.5	2.5	16.5	1.7	9.3	1.4	2.5	0.8	0.9	0.4	0.3	0.2	13.0	1.6	
Other	58.1	16.1	0.0	0.0	0.0	0.0	10.7	9.7	10.1	9.8	0.0	0.0	21.1	13.8	
TOTAL	48.2	1.6	14.2	0.9	7.1	0.5	1.7	0.2	0.5	0.1	0.2	0.1	28.1	1.4	

This table presents the percent of people reporting utilisation of health services when they last needed care. It combines information from Q7000, Q7001 and Q7016. Utilisation was recorded in the WHS in three separate categories: ambulatory care, hospital inpatient care, and informal care. Time cut-offs for utilisation recall used here are 1 year for ambulatory care and informal care, and 3 years for hospital inpatient care. Utilisation of ambulatory and inpatient care services.

